

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1069	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and interrupt \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/10/21 14:30
L2	402	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and interrupt \$4 and (non-volatile or EEPROM or flash or "non volatile")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/10/21 14:38

L3	159	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and (interrupt near2 (signal \$1 or means or unit\$1 or flag\$1 or circuit\$1 or device\$1)) and (non-volatile or EEPROM or flash or "non volatile"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/10/21 14:39
L4	136	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and (interrupt near2 (signal \$1 or means	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/10/21 14:41

		or unit\$1 or flag\$1 or circuit\$1 or device\$1)) and (non- volatile or EEPROM or flash or "non volatile") and ((detect\$4 or check\$4) near3 error \$1)				
L5	110	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and (interrupt near2 (signal \$1 or means or unit\$1 or flag\$1 or circuit\$1 or device\$1)) and (non- volatile or EEPROM or flash or "non volatile") and ((detect\$4 or determin\$4 or check\$4) near3 error \$1) and state \$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/10/21 14:42

L6	11	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and (interrupt near2 (signal \$1 or means or unit\$1 or flag\$1 or circuit\$1 or device\$1)) and (non-volatile or EEPROM or flash or "non volatile") and ((detect\$4 or determin\$4 or check\$4) near3 error \$1) and (logic near3 state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2008/10/21 14:44
L7	0	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2	US-PGPUB	OR	OFF	2008/10/21 14:44

		(means or unit or circuit or device)) and (interrupt near2 (signal \$1 or means or unit\$1 or flag\$1 or circuit\$1 or device\$1)) and (non-volatile or EEPROM or flash or "non volatile") and ((detect\$4 or determin\$4 or check\$4) near3 error \$1) and (logic near3 state\$1)). clm.				
L8	0	((ECC or (error\$1 near2 correct \$4)) near2 (memory or RAM or DRAM or SRAM or buffer)) and ((ECC or (error\$1 near2 correct \$4)) near2 (means or unit or circuit or device)) and (interrupt near2 (signal \$1 or means or unit\$1 or flag\$1 or circuit\$3 or device\$1)) and (non-	US-PGPUB	OR	OFF	2008/10/21 14:45

	volatile or EEPROM or flash or "non volatile") and ((detect\$4 or determin\$4 or check\$4) near3 error \$1) and (logic near3 state\$1)). clm.				
--	--	--	--	--	--

10/21/08 2:51:07 PM

C:\Documents and Settings\EAbraham\My Documents\EAST\Workspaces
\newformat.wsp